

1. Commercial names

PROPADRY CONTAINER KG 1 e KG 2

2. Description

Bag containing a highly hygroscopic product able to adsorb the humidity and condensation created in the container.

3. Use

3.1 How to use

Insert the bag inside the container.

3.2 Why

Propadry Container keeps down the percentage of relative humidity, preventing condensation or delaying the dew point, namely the point when the moisture present in the air reaches a concentration whereby it condenses into water droplets.

4. Advantages

By delaying the dew point inside the container, Propadry Container can assist in the best conservation of the quality and the properties of the shipped or stocked product.

5. Production


The Propadry production process includes all the mandatory internal and process controls required by certified corporate procedures.

6. Physical characteristics


6.1 Adsorption

The following tables show the results of absorption tests performed in a climatic chamber with relative humidity of 90% and temperature varying from 10° to 45 °C, simulating the day and night temperature fluctuations inside a container.

Propadry Container 1 Kg



Propadry Container 2 Kg



6.2 Desiccant materials

Propadry Container is made of a basic mixture of Calcium Chloride and several other special additives, selected by corporate research laboratories.

7. Technical characteristics

7.1 Packaging materials

The bag is made of spunbonded.

7.2 Weights and sizes

	Propadry Container 1 kg	Propadry Container 2 kg
Weight (g)	1000	2000
Dimensions (mm)	200x250	200x360

8. Printing on the bag

Each bag has a readable and permanent print providing the following information:

1. Commercial name
2. Product name
3. Name and address of the manufacturer
4. Risk and safety phrases (R)
5. Any particular requirements must be specified

Example:

PROPADRY CONTAINER — ①

② — ASSORBITORE DI UMIDITÀ PER CONTAINER
 HUMIDITY ABSORBENT FOR CONTAINER
 ABSORBEDOR DE HUMEDAD PARA CONTENEDORES
 ABSORBEUR D'UMIDITÉ POUR CONTENEUR
 LUFTENTFEUCHTUNGSMITTEL FÜR CONTAINER

EVITARE IL CONTATTO CON LE MERCI — ④
 AVOID CONTACT WITH GOODS
 EVITAR EL CONTACTO CON LA MERCADERIA
 EVITER LE CONTACT AVEC LES MARCHANDISES
 VERMEIDEN DEN CONTACT MIT DEN VERPAKTEN GUT



PROPACK S.p.A. - Via Genova, 5/b
 10098 RIVOLI (TORINO) ITALY
 Tel. +39.011.950.77.77(10 linee r.a.) - Fax +39.011.950.78.00
 E-Mail: info@propackgroup.com - http://www.propackgroup.com

CONTIENE - CONTAINS - CONTIENE - ENTHALT - CONTIENT CA Cl 2 — ⑤

IRRITANTE PER GLI OCCHI - NON INALARE LA POLVERE - EVITARE IL CONTATTO CON LA PELLE — ⑥
 IRRITATING TO EYES - DO NOT BREATHE DUST - AVOID CONTACT WITH SKIN
 IRRITANTE PARA LOS OJOS - NO INHALAR EL POLVO - EVITAR EL CONTACTO CON LA PIEL
 REIZT DIE AUGEN - STAUB NICHT EINATMEN - BERUHRUNG MIT DER HAUT VERMEIDEN
 IRRITANT POUR LES YEUX - NE PAS RESPIRER LES POUSSIERES - EVITER LE CONTACT AVEC LA PEAU

9. Packaging


- Europallet 1200x800 mm.
- 36 boxes per pallet (4 high * 9 boxes per high).
- Maximum height of the pallet: 1830 mm (*including the pallet*)
- Boxes sizes 390x260x420 H mm.

	Propadry Container 1 kg	Propadry Container 2 kg
Bags per box	20	12


10. Labelling

All the boxes and pallets are identified as follows:

10.1 Boxes



10.2 Pallet



11. Certificate of conformity

On customer's request, the corresponding certificate of conformity will be attached to each supply.

All data are the result of careful laboratory tests and can only be considered as recommendations, which correspond to the level of experience of today. In view of the multiplicity of possible application and working methods, the user must verify the suitability and entirety of the information here given.

Created: Technical Manager
Revised: Quality Dept.
Approved: B. U. Manager

Page 5 of 5