



TECHNICAL DATA SHEET NIUPACK 150

TECHNICAL DATA SHEET NIUPACK 150		
Art. No.	MAXNA1215A	Date: 01.08.2009
external length : 1.200 mm (tolerance + 3,5%)		
internal length: 1.200 mm (tolerance + 3,5%)		
external width: 800 mm (tolerance \pm 3,5%)		
internal width: 150 mm (tolerance \pm 3,5%)		
construction	TOP CARDBOARD: 800 x 700mm made by double corrugated cardboard and covered by 2 kraft papers quality kt7 s4 s2 s4 kt7	ESTRUCTURE NIUPACK: 1200 X 150 mm. made by 14 corrugated cardboard stripes 1200 x 150mm and glued together by several points of contact quality kt3 f b
Material Specifications:		
Paper specification:		Estructure Niupack
Material: double corrugated cardboard + 2 layers paper quality kt7 s4 s2 s4 kt7		Material: corrugated cardboard + 2 layers paper quality kt3 f b
Resistance:	4081 Kg (Itene institute test)	
Working method		
Recomended filling gap: for spaces between palets 15-19 Cm.		
PACKAGING		
packaging:	100 Units/palet	
Palet Size:	1000 x 1200mm	
Palet Weight:	Aprox. 175 Kg.	
Remarks:		